			.50X1
CENTRAL II	NTELLIGENCE AGENCY	,	
INFORMAT	TION REPORT	This Document contains informs tional Defense of the United Staing of Title 18, Sections 793 and 7 amended. Its transmission or rev to or receipt by an unauthorized by law. The reproduction of th	tes, within the mean- 194, of the U.S. Code, as relation of its contents it person is prohibited
	CONFIDENTIAL		50X1
COUNTRY	, USSR	REPORT	
SUBJECT	Information on Health and Sanitation Conditions at Zavod 619, Leningrad	DATE DISTR.	5 February 1954
DATE OF INFO.		REQUIREMENT NO. R	D ` 50X1-HUN
PLACE ACQUIRED		REFERENCES	50X1
•	THE SOURCE EVALUATIONS IN THIS REPORT THE APPRAISAL OF CONTENT IS TE (FOR KEY SEE REVERSE)		50X1-HUM
	(FOR KEY SEE REVERSE)		50X1-HUM

CONFIDENTIAL

STATE	#x	ARMY	#x	NAVY'	#x	AIR	#×	FB1	•	AEC		Τ		\Box
												•		

50X1 COMFIDENTIAL REPORT 50X1-HUM COUNTRY 8 DATE DISTR. 331EC 63 user NO. OF PAGES 2 Information on Health and Sanitation Conditions at Zavod 619, Leningrad PLACE NO. OF ENGLS. ACQUIRED P (LISTED BELOW) DATE SUPPLEMENT TO 50X1-HUM ACQUIRED 8 REPORT NO. DATE OF INF THIS IS UNEVALUATED INFORMATION 50X1-HUM Ç., . l. workers were employed at Zavod 619 German and how many Soviet Four Germans: Dr. Paul KOTOWSKI; Dr. AMMON; Dr. KAUFMANN; and Herr Helaut FEUSSNER, Dipl. Ing. There were approximately 500 to 1000 Soviet workers. 2. a health room (Zdrawpunkt) at the zavod operated by a physician, feldsher (medical technician) or a nurse There was one health room which was operated by a feldsher and one nurse. A female dentist was also at the disposal of the workers at Zavod 619, but she had very poor equipment. the equipment, quality of service, and availability of medical supplies at the Zdravpunkt. 3. the medical equipment and attention was very poor. CONFIDENTIAL

Declassified in Part - Sanitized Copy Approved for Release 2013/09/04 : CIA-RDP81-01030R000100400001-5

SECURITY INFORMATION

	CONFIDENTIAL \		
	-2-		50X1-HUM
4.	health and sanitary measure	9	50X1-HUM
	was in charge of health and sanitation		
	the zavod was kept in a comparatively clean state.	,	
	There were no health or sanitary measures in existence	٠, ٠	· · · · · · · · · · · · · · · · · · ·
•			50X1-HUM
5.	the workers of the zavod consume only boiled drinking		
	water	•	50X1-HUM
	workers at the zavod consumed only boiled drinking	اد ^{ر د} .	50X1-HUM
	water.		,
6.	region or regions of Leningrad		50X1-HUM
[in the northern edge of Leningrad in the district		.50X1-HUM
	known as Vyborgskiy Rayon/Leningrad.		*20X1-HOIM
7.	the place or places included in the		5074 11118
	network of the central water works the source of water		50X1-HUM
	the source of water		ů ·
l	the district was included in the central water works.		50X1-HUM
_			
8.	the water potable.		50X1-HUM
	The water was strongly chlorinated. Soviets living in the		. '
•	area recommended that the water be boiled before drinking, but many Germans consumed the water directly from the		
	faucet.		•
9•		. 1	
	The latrines were located inside the house.	•	N + 1
10.			
10.			•
	Living space within the house was very crowded in comparison to western standards. For example, three		•
	persons were allotted 25 square meters of		50X1-HUM
	living space.		•
11.	diseases known to be prevalent in Leningrad		
	Throat colds and grippe were most common. I also	•	π,
	noted that many Soviets had some skin diseases,		

CONFIDENTIAL